

SolarBright's Commercial Daylights Systems





Commercial Daylights Systems for any workplace.

- Solar Bright daylighting systems: Transform any dark, damp workplace into an
 - inviting,
 - sun-filled &
 - healthy environment.
- They harness the sun's power while filtering the harmful UV rays to create a
 - cheerful &
 - bright workplace for your employees.
- They are a perfect fit for:
 - schools, day cares, retail stores, corporate office buildings, warehouses, and factories - any dark workspace.
- With soaring electricity prices now you can switch of the light and install a daylight system.

Commercial Product Range



Daylighting system suits all closed ceiling applications.



Daylighting system suits all open ceiling applications.



Sun Tracker Daylighting Systems.

Components for Closed / Drop Ceilings



High Impact Acrylic Dome. Industrial 100% high impact acrylic prismatic inner disk dome to reduce thermal heat transfer and diffuse light.



Commercial Pure Grade Aluminium Flashing: Non-corrosive, leak proof, designed to suit tile, colourbond and other metal roof profiles. Colour matched.



Highly Reflective Light Tube: "Microsilver" aluminium, 0.5mm thick with 98% reflectivity. Anodised for high protection against prolonged exposure.



Decorative Ring Trim & Diffuser: Powder coated aluminium and not plastic. Provides tight seal. Triple layered diffuser.



GRID CEILING



GYBROCK CEILING



GRID CEILING WITH LOW PROFILE



Stainless Steel Security Bars: SS bars fit into flashing turret.



Electric Dimmers: Remote controlled dimmers allows you to adjust the daylight.

Open Ceiling Tubular Skylight









Library



Gymnasium



Closed Ceiling Tubular Skylight











The Active Skylight -Sun Tracker for Commercial /industrial applications



Solar Powered GPS Controller: Solar powered GPS controller to direct the mirror array towards the sun for maximization of daylight.



Sun Tracker Dome: Specially shaped for active daylight and strength. Tested for 350kg drop. Capable of withstanding any climatic conditions.



Mirror Array: Rotates within the dome to catch and reflect sunlight resulting in constant sunlight.




Easy & Sturdy Frame: Easy flush frame with dual rain and run of leaves built to ensure seal and no leaks. Minimizes temperature transfer.






Optional / Accessories




Reflective Lightwell Panels For Closed ceilings: Reflect 98% of light reflected of the Mirror Array to the lower diffuser lens. Lengths can be adjusted to meet any design.



Ceiling Diffuser Lens:
Flat Lower
Pyramid &
Low ceiling diffuser



Sun Tracker Security Bars: Ensure the building remains safe against intruders while allowing sunlight through the system.



Roller Shade System: A great compliment to any space that needs controlled indoor light levels during the day.

Solar Bright



Head Office:
Unit 1 / 7 Enterprise Circuit
Prestons , NSW , 2170
Phone : 1300 852 622
Fax : +61 2 9607 2442

Factory & Warehouse:
Unit 4 / 7 Enterprise Circuit
Prestons , NSW , 2170
Phone: 61 2 9607 2440

SolarBright Port Macquarie Pty Ltd
Unit 8 / 35 Merrigal Rd
Port Macquarie , NSW , 2444
Phone : 1300 852 622 or 61 2 6581 4649
Fax : +61 2 9607 2442

Integrated Energy Efficiency Solutions

Contractors Licence : 211370C

