


Model	MB250	MB250+
Overview	Works During Daytime Solar Powered Suits Residential Installations	Works During Daytime Solar Powered Suits Residential Installations
Opening Size	230mm	230mm
Panel Size	19W / 22V	19W / 22V
Colour	Black	Black
Panel Shape	Round	Round
Thermostat	On 25°C (+/-3°C) Off 18°C (+/-3°C)	Adjustable
Humidistat Sensor	Nil	Adjustable
Remote Control	Nil	Included
Motor	IP65 Brushless DC	IP65 Brushless DC
Adjustable Speed	Nil	Yes
On / Off Button	Nil	Yes
Panel Direction	Adjustable to Face North	Adjustable to Face North
Flashing	Leak Proof to Suit Most Australian Roofs	Leak Proof to Suit Most Australian Roofs
Approx. Capacity	700m ³ /h (Capacity at Optimum Solar Conditions)	700m ³ /h (Capacity at Optimum Solar Conditions)
Nighttime Operation	Nil	Via Supplied 2-Pin AC Plug
Noise Level	Quiet (<44dB)	Quiet (<44dB)
Applications	Residential	Residential
Warranty	Motor 5 Years / Solar Panel 10 Years	Motor 5 Years / Solar Panel 10 Years



Model	MB400S - Standard	MB400S+ - Standard
Overview	Works During Day & Night Solar Powered AC Power Optional	Works During Day & Night Solar Powered AC Power Optional
Opening Size	370mm	370mm
Panel Size	40W / 20V	40W / 20V
Colour	Black	Black
Panel Shape	Square	Square
Thermostat	On 25°C (+/-3°C) Off 18°C (+/-3°C)	Adjustable
Humidistat Sensor	Nil	Adjustable
Remote Control	Nil	Included
Motor	IP65 Brushless DC	IP65 Brushless DC
Adjustable Speed	Nil	Yes
On / Off Button	Nil	Yes
Panel Direction	Adjustable to face North	Adjustable to face North
Flashing	Leak Proof to Suit Most Australian Roofs	Leak Proof to Suit Most Australian Roofs
Approx. Capacity	2,200m ³ /h (Capacity at Optimum Solar Conditions)	2,200m ³ /h (Capacity at Optimum Solar Conditions)
Nighttime Operation	Via Supplied 2-Pin AC Plug	Via Supplied 2-Pin AC Plug
Noise Level	Quiet (<44dB)	Quiet (<44dB)
Applications	Residential & Commercial	Residential & Commercial
Warranty	Motor 5 / Solar Panel 10 Years	Motor 5 / Solar Panel 10 Years



Model	MB400Z - Zephyr	MB400Z+ - Zephyr
Overview	Works During Day & Night Solar Powered 9.6Ah Integrated Battery	Works During Day & Night Solar Powered 9.6Ah Integrated Battery
Opening Size	370mm	370mm
Panel Size	40W / 20V	40W / 20V
Colour	Black	Black
Panel Shape	Square	Square
Thermostat	On 25°C (+/-3°C) Off 18°C (+/-3°C)	Adjustable
Humidistat Sensor	Nil	Adjustable
Remote Control	Nil	Included
Motor	IP65 Brushless DC	IP65 Brushless DC
Adjustable Speed	Nil	Yes
On / Off Button	Nil	Yes
Panel Direction	Adjustable to face North	Adjustable to face North
Flashing	Leak Proof to Suit Most Australian Roofs	Leak Proof to Suit Most Australian Roofs
Approx. Capacity	2,200m ³ /h (Capacity at Optimum Solar Conditions)	2,200m ³ /h (Capacity at Optimum Solar Conditions)
Nighttime Operation	Via 9.6Ah Integrated Battery	Via 9.6Ah Integrated Battery
Noise Level	Quiet (<44dB)	Quiet (<44dB)
Applications	Residential & Commercial	Residential & Commercial
Warranty	Battery 3 / Motor 5 / Solar Panel 10 Years	Battery 3 / Motor 5 / Solar Panel 10 Years

